

# GERARD DANIEL WORLDWIDE

GERARD DANIEL WORLDWIDE ~ 34 BARNHART DRIVE ~ HANOVER, PA 17331  
PHONE: 1800-323-3332 ~ FAX: 717-637-5901




## Heat Treated Fiberglass Cloth

FFAB 2025-9383

**DATA SHEET**

Gerard Daniel Worldwide's style FFAB 2025-9383 is fiberglass fabric that is heat treated. The heat treatment process removes organic binders, sets the weave, and reduces fraying when being cut. This material has many applications including: Lagging, Removable Jackets, Padding, and Fire Blankets



MATERIAL PROPERTY DATA		
WEIGHT	17.9 OZ/SY ± 10%	
THICKNESS	0.029" ± 10%	ASTM D1777-96
COATING & COLOR	HEAT TREATED FIBERGLASS	
CONSTRUCTION	WARP: 20 FILL: 14	ASTM D3775-96
TENSILE STRENGTH	WARP: 257 LBF/INCH FILL: 140 LBF/INCH	ASTM D5034-95
ROLL SIZE	60" X 50 YARD	
TEMP RESISTANCE	1000°F	